

AjaxSearch 1.9.2

Date: 05/12/2010

Ajax and non-Ajax search that supports results highlighting

Author:

Coroico <coroico@wangba.fr>

Jason Coward <jason@opengeek.com>

KyleJaebker

<kjaebker@muddydogpaws.com>

Ryan Thrash <ryan@vertexworks.com>

Basic usage: `[!AjaxSearch!]`

PARAMETERS

&config

Purpose: Load a custom configuration from `<config_name>.config.php`

Option: default | custom_example | @FILE

Default: default

Note: optional

Placeholders: -

Related: -

&debug

Pur: Output debugging information.

Opt:

- 0 : debug not activated

File mode (ajaxSearch/ajaxSearch_log.txt):

- 1 : Parameters, search context and sql query logged.
- 2 : Parameters, search context, sql query AND templates logged
- 3 : Parameters, search context, sql query, templates AND Results logged

Def: 0

&language

Pur: Sets the ajaxSearch language

Opt: inside the folder 'ajaxSearch/lang/'

arabic-utf8 | chinese | chinese_simplified-utf8 | chinese_simplified | chinese_traditional-utf8 | chinese_traditional | czech | danish | english-utf8 | english | finnish | francais-utf8 | francais | german | hebrew | icelandic | indonesian | italian | japanese-utf8 | nederlands | norsk-utf8 | norsk | persian | portuguese-br | portuguese | russian-UTF8 | russian | slovak-utf8 | slovak | spanish-utf8 | spanish | svenska-utf8 | svenska

Def: the language set for the MODx manager

&ajaxSearch

Pur: Use of the ajax mode.

Opt: 0 (off) | 1 (on) | > 1 custom usage

Def: 1

&advSearch

Pur: Set the advanced search options.

Opt:

- exactphrase : provides the documents which contain the exact phrase
- allwords : provides the documents which contain all the words
- nowords : provides the documents which do not contain the words
- oneword : provides the document which contain at least one word

Def: oneword

&asId

Pur: Unique id for AjaxSearch instance

Opt: a-z, _ , 0-9 (case sensitive)

Def: NULL

Not: to distinguish several Ajaxsearch instances on the same page. The id is used to link the snippet calls between them. Choose a short name. eg: "as2". With the ajaxSearch mode, the first AS snippet call shouldn't use the parameter &asId

&timeLimit

Pur: Max execution time in seconds for the AjaxSearch script

Opt: 0 < int - 0 for an unlimited execution time

Def: 60

&whereSearch

Pur: Set in which tables & fields the search occurs. A separated list of keywords describing the tables where to search.

Opt: keywords:table fields

- content:pagetitle,longtitle,description,alias,introtext,menutitle,content
- tv:tv_value
- jot:jot_content
- maxigallery:gal_title,gal_descr

Def: 'content|tv'

which means:

content:pagetitle,longtitle,description,alias,introtext,menutitle,content | tv:tv_value

Not: 'content:null|maxigallery' for a search only in maxigallery

&withTvs

Pur: which TV you would like as search results

Opt:

- " : disabled the feature
- [[+ | -] [: tvlist]]

Def: " (empty string)

Not:

- `tv1,tv2,tv3` : added as placeholders
 - `+:tv1,tv2,tv3` : added as placeholders
 - `+` : all tvs of the site added as placeholders
 - `^-` : all tvs of the site added as placeholders
 - `^-:tv1,tv2,tv3` : all the tvs except these ones
- For performances reasons, use wisely -

&tvPhx

Pur: append the content of some template variables as search results

Opt:

- " : disabled the feature
- [[+ | -] [: tvlist]]

Def: " (empty string)

Not:

- `tv1,tv2,tv3` : added as placeholders
 - `+:tv1,tv2,tv3` : added as placeholders
 - `+` : all tvs of the site added as placeholders
 - `^-` : all tvs of the site added as placeholders
 - `^-:tv1,tv2,tv3` : all the tvs except these ones
- For performances reasons, use wisely -

&category

Pur: Define categories

Opt: tv_name | "

Def: " (empty string)

Not: Name of a TV. a-z, _ , 0-9 (case sensitive)

The displayed title of category could be renamed in the `categConfig` function. See `grpLabel`.

&display

Pur: When results comes from differents sites, subsites or categories, the result can be chosen to be displayed mixed or unmixed.

Opt: mixed | unmixed

Def: unmixed

Not:

- Unmixed mode displays the results grouped by site, subsite or category. Each group of results can be paginated.

- Mixed mode mixes all the results coming from the different areas.
- With unmixed mode, results are ordered by the field provided by the first field of the order parameter

&order

Pur: sort order of results

Opt: Comma separated list of fields defined as searchable in the table definition. to suppress the sorting, use &order=""

Def: publishedon, pagetitle (sorted by published date and then pagetitle)

E.g.: pagetitle DESC, pub_date

&rank

Pur: Define the rank of search results. Results are sorted by rank value.

Opt: Comma separated list of fields (extract excluded) with optionally user defined weight.

Def: " (empty string)

Not: to suppress the rank sorting, use &rank="" . &rank sort occurs after the &order sort.

&maxWords

Pur: maximum number of words for searching

Opt: 1 < int < 100

Def: 5

&minChars

Pur: Minimum number of characters to require for a word to be valid for searching.

Opt: 2 < int < 100

Def: 3

Not: length of each word with \$advSearch =

'allwords', 'oneword' or 'nowords'

length of the search string with possible spaces with \$advSearch = 'exactphrase'

&showInputForm

1.8.4: &AS_showForm

Pur: turn off/on the search form when showing results.

Opt: 0 (false) | 1 (true)

Def: 1

&showIntro

Pur: To show or hide the introduction message displayed with the input form

Opt: 0 (hide) | 1 (show)

Def: 1

&extract

Pur: the maximum number of extracts that will be displayed per document and define which fields will be used to set up extracts.

Opt: n:searchable fields list

n : maximum number of extracts displayed

Def: 1:content,description,introtext,tv_content

means: One extract from content then description,introtext,tv_value

E.g.: 99:content

&extractLength

Pur: length of separate extraction

Opt: 50 < Integer < 800

Def: 200

&extractEllips

Pur: ellipside to mark the start and the end of an extract when the sentence is cutting

Opt: [string]

Def: '...' (three dots)

&extractSeparator

Pur: any html tag to mark the separation between extracts

Opt:
 | <hr /> | other html tag

Def:

&formatDate
Pur: format of outputted dates Opt: see www.php.net/manual/en/function.date.php Def: 'd/m/y : H:i:s' - e.g: 21/01/08 : 23:09:22
&highlightResult
Pur: create links so that search terms will be highlighted when linked page clicked Opt: 0 (false) 1 (true) Def: 1 Require: Highlight plugin
&pagingType
Pur: selection of the type of pagination Opt: 0 1 (non ajax mode) 1 2 (ajax mode) Def: 1 Note: 0: Results Pages 1 2 3 1: Previous - X-Y /Z - Next 2: X-Y /Z - Show more 10 results
&pageLinkSeparator
Pur: between the page link numbers Opt: [string] Def: ' ' (pipe symbol)
&showResults
1.8.4: &AS_showResults Pur: show the results or not Opt: 0 1 Def: 1
&parents
Pur: Ids of documents to retrieve their children to &depth depth where to do the search in or not in Opt: [in not in] : comma separated list of Def: " (double single tick - empty list) Rel: &depth Not: compatible with the 1.8.4 release
&depth
Pur: Number of levels deep to retrieve documents Opt: 0 < integer Def: 10 Not: should be used with &parents
&documents
Pur: Ids of documents where to do the search in or not in Opt: [in not in] : comma separated list of Ids Def: " (double single tick - empty list) E.g.: <ul style="list-style-type: none"> &documents='in:28,29,30,31' do the search in the documents 28,29,30,31 &documents='not in:28,29,30,31' do the search in all documents except in documents 28,29,30,31 &documents='28,29,30,31' means &documents='in:28,29,30,31' (compatible with the 1.8.4 release)
&hideMenu
Pur: search in hidden documents from menu Opt: <ul style="list-style-type: none"> 0 : search only in documents visible from menu 1 : search only in documents hidden from menu 2 : search in hidden or visible documents from menu Def: 2
&hideLink
Pur: search in content of type reference (link) Opt: <ul style="list-style-type: none"> 0 : search in content of type document AND reference 1 : search only in content of type document Def: 1

&filter
Pur: exclude unwanted documents. Opt: &filter runs as the &filter Ditto 2.1 parameter Def: " (double single tick - empty list) Not: <ul style="list-style-type: none"> The metacharacter '#' is replaced by the search string provided by the web user when used with the filter parameter. The advSearch parameter is also taken into account, if advSearch = 'oneword','nowords','allwords' then # is replaced by as many filters as searchterms. filtering by tv name is possible E.g.: <ul style="list-style-type: none"> &filter='pagetitle,#,8' with searchString='school child' and advSearch='oneword' is equivalent to &filter='pagetitle,school,8 pagetitle,child,8' &filter='articleTags,volcano,7' display only documents related to volcanoes. Documents are filtered by the TV 'articleTags'
&output
Pur: Custom layout Opt: <ul style="list-style-type: none"> 0 - Results are listed just under the input form 1 - custom layout. put [+as.inputForm+] and [+as.results+] where layout is defined Def: 0
&stripInput
Pur: transform on fly the search input extract. Opt: string as a php function name, defined in the configuration file. Def: defaultStripInput() function
&stripOutput
Pur: transform on fly the search output extract. Opt: string as a php function name, defined in the configuration file. Def: defaultStripOutput() function Not: Before to extract the relevant piece of text around the search term, the document is parsed. By defing a stripOutput function the user could change the output
&breadcrumbs
Pur: Display the path of the documents found. Opt: <ul style="list-style-type: none"> 0 : disallow the breadcrumbs link string as name of the breadcrumbs function : allow the breadcrumbs link Def: " - empty string E.g.: &breadcrumbs='Breadcrumbs,showHomeCrumb:0,showCrumbsAtHome:1' Not: Breadcrumbs is the default function provided for the "content" table. The function name could be followed by some parameter initialization
&clearDefault
Pur: clearing default text. Opt: <ul style="list-style-type: none"> 0 : not activated 1 : activated. Include the clear default js function in header. Def: 0 Not: add the class "cleardefault" to the input text form and set this parameter
&jsClearDefault
Pur: location of the clearDefault js library Opt: path to the file Def: AS_SPATH . 'js/clearDefault/clearDefault.js';
&mbstring

Pur: php_mbstring extension Opt: 0 (off) 1 (on) Def: 1
&asLog
Pur: Capturing failed search criteria and search logs. Opt: ajaxSearch log [level [: comment [: Purge]]] level: <ul style="list-style-type: none"> 0 : disallow the ajaxSearch log (default) 1 : failed search requests are logged 2 : all ajaxSearch requests are logged comment: <ul style="list-style-type: none"> 0 : user comment not allowed (default) 1 : user comment allowed Purge: number of logs allowed before to do an automatic Purge of the table <ul style="list-style-type: none"> 0 : no Purge allowed (= illimited number of logs) default: 200 Def: 0:0:200 Not: <ul style="list-style-type: none"> &asLog='x' is equivalent to &asLog='x:0:200' &asLog='x:y' is equivalent to &asLog='x:y:200' &asLog='1:1:500' means that 500 failed search requests possibly commented by the end user could be stored in the ajaxSearch_log table See the AjaxSearch Log Manager module

<h2 style="text-align: center;">Ajax Parameters</h2> <p style="text-align: center;"><i>Used by the ajaxSearch mode</i></p>
&liveSearch
Pur: to use the live search (i.e. results as typing) Opt: 0 1 Def: 0 - livesearch mode inactivated
&ajaxMax
Pur: the maximum number of results to show in a group of results for the ajaxsearch Opt: Integer Def: 6
&showMoreResults
Pur: set a link to show all of the search results Opt: 0 1 Def: 0
&moreResultsPage
Pur: target page for the more results link Opt: ID of a document Def: 0 Not: this page should contain another call to this snippet for displaying results
&opacity
Pur: Opacity of the ajaxSearch_output div where are returned the ajax results. Dot is comma. Opt: 0. (transparent) < Float < 1. (opaque) Def: 1.
&jsript
Pur: Choose between Mootools or jQuery. Opt: jquery mootools2 mootools Def: mootools2
&addJsript
Pur: to add the mootools library to the header of web pages automatically. Opt: 0 1 Def: 1
&jsMooTools
Pur: Location of the mootools javascript library Opt: path to the mootools library

Def:
manager/media/script/mootools/mootools.js

&jsMooTools2

Pur: Location of the mootools2 javascript library
Opt: path to the mootools2 library
Def: AS_SPATH . 'js/mootools2/mootools1.2.js'
Not: mootools2 is an alternative mootools library. Mootools1.2.4 is provided

&jsjQuery

Pur: Location of the Jquery javascript library
Opt: path to the mootools library
Def: AS_SPATH . 'js/jQuery/jquery.js'
Not: compatible with Jquery 1.4.2 library

Non Ajax Parameters

Used by the non-ajaxSearch mode

&landingPage

1.8.4: &AS_landing
Pur: set the page to show the results page (non Ajax search)
Opt: ID's of a document
Def: false

&grabMax

Pur: The max number of records for a group of results. Set to 0 if unlimited.
Opt: Integer >= 0
Def: 6

&showPagingAlways

Pur: always display paging, even if the result is only one page.
Opt: 0 | 1
Def: 0
Not: two use cases:

- if **&showMoreResults** to `1` and **&moreResultsPage** is defined, then it may happen that ajax search result will only have one page and pagination will not be shown

TEMPLATE

To use an another template, define the template name and location with

```
@FILE:assets/snippets/ajaxSearch/templates/folderName/templateName.tpl.htm
```

or create a chunk parameter by copy/paste and change of an existing template.

Input templates

&tplInput

Pur: to style the ajaxSearch input form
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/input.tpl.html
Not:
Form elements:

- a set of check boxes to select the value of the advanced Search parameter (name=advSearch)
- an input field (name=search), to catch the search terms
- or a multiple input list to select the search terms among a list of terms (name=search)

To demonstrate these possibilities, several demos exist on the demo site.

E.g.: provided in *templates/inputTemplates/* folder

- Input 1 : a simple search with a simple input field
- Input 2 : a simple search with a multiple input list
- Input 3 : an advanced search. An input field with the selection of the advanced Search parameter

The advanced search parameter can be mixed with the input list (2 & 3).
With an input field, when the liveSearch mode is set, the submit button is not displayed. A search occurs after each character typed.

Rel: &showInputForm

Non-Ajax Templates

&tplGrpResult

Pur: to style the non-ajax output group result outer
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/grpResult.tpl.html

&tplResults

Pur: to style the non-ajax output results outer
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/results.tpl.html

&tplResult

Pur: to style each output result
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/result.tpl.html

&tplComment

Pur: to style the comment form (also used with the ajax mode)
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/comment.tpl.html

&tplPaging0

Pur: to style the paging links - type 0
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/Paging0.tpl.html

&tplPaging1

Pur: to style the paging links - type 1
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/Paging1.tpl.html

Ajax Templates

&tplAjaxGrpResult

Pur: to style the ajax output group result outer
Opt: {{chunkname}} | @FILE
Def: '@FILE:AS_SPATH.'templates/*ajaxGrpResult.tpl.html*
E.g.:@FILE:assets/snippets/ajaxSearch/templates/*/myAjaxGrpResult.tpl.html*

&tplAjaxResults

Pur: to style the ajax output results outer
Opt: {{chunkname}} | @FILE
Def: '@FILE:AS_SPATH.'templates/*ajaxResults.tpl.html*

E.g.:@FILE:assets/snippets/ajaxSearch/templates/*/myAjaxResults.tpl.html*

&tplAjaxResult

Pur: to style each output result
Opt: {{chunkname}} | @FILE
Def: '@FILE:AS_SPATH.'templates/*ajaxResult.tpl.html*
E.g.:@FILE:assets/snippets/ajaxSearch/templates/*/myAjaxResult.tpl.html*

&tplPaging1

Pur: to style the paging links - type 1
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/Paging1.tpl.html

&tplPaging2

Pur: to style the paging links - type 2
Opt: {{chunkname}} | @FILE
Def:
@FILE:assets/snippets/ajaxSearch/templates/Paging2.tpl.html

Placeholders

These placeholders are related to templates.

The searchString is available as placeholder. Use [+as.searchString+] to get the search string used for the search.
E.g.: "Search results for [+as.searchString+]" as pagetitle for the landing page.
All the fields of the main table and of the joined table defined as "displayed".
All the TV can be displayed as placeholders with &withTvs or &tvPhx parameters
In the table definition can use the tplResult and tplAjaxResult templates:

[+as.****+]

the content of the field named ****

[+as.****Show+]

a boolean value [0 | 1] which is equal to 0 when ****="", otherwise 1

[+as.****Class+]

a class name equal to:

- ajaxSearch_resultXxxx for the non ajax results (&tplResult)
- AS_ajax_resultXxxx for the ajax window (&tplAjaxResult)

E.g.:
with &whereSearch="content,tv", there are these placeholders:

"content" (table) – "id" (field) : [+as.id+]

"content" (table) – "date" (field) :

[+as.publishon+]

"content" (table) – *displayed* fields :

default fields: 'pagetitle', 'longtitle', 'description',

'alias', 'introtxt', 'menutitle', 'content'

"tv" (table) – *displayed* fields : tv_value

(concatened values of TVs)

Content Placeholders

[+as.pagetitle+], [+as.pagetitleShow+],

[+as.pagetitleClass+]

[+as.longtitle+], [+as.longtitleShow+],

[+as.longtitleClass+]

[+as.description+], [+as.descriptionShow+],

[+as.descriptionClass+]

[+as.alias+], [as.aliasShow+], [+as.aliasClass+]

[+as.introtxt+], [+as.introtxtShow+],

[+as.introtxtClass+]

[+as.menutitle+], [+as.menutitleShow+],

[+as.menutitleClass+]

[+as.content+], [+as.contentShow+],

[+as.contentClass+]

[+as.tv_value+], [+as.tv_valueShow+],
[+as.tv_valueClass+]

Template Variables placeholders

[+as.tv_value], [+as.tv_valueShow+],
[+as.tv_valueClass+]

Breadcrumbs

"content" (table) – breadcrumbs (link):
[+as.breadcrumbs+], [+as.breadcrumbsShow+]
[+as.breadcrumbsClass+]

with &extract parameter

[+as.extract+], [+as.extractShow+],
[+as.extractClass+]
with AS_ajax_resultExtract (ajax) or
ajaxSearch_resultExtract (non-ajax) as class
names

&whereSearch=`content,tv,maxigallery,jot`

[+as.jot_content], [+as.jot_contentShow],
[+as.jot_contentClass]

[+as.gal_title], [+as.gal_titleShow],
[+as.gal_titleClass]

[+as.gal_descr], [+as.gal_descrShow],
[+as.gal_descrClass]

Configuration

Default configuration file

The default configuration file contains all the
required default values.

In the new configuration file:

- For a global parameter initialisation use the
following syntax: `$_param = value;`
This initialisation could be overwritten by the
parameter snippet call.
E.g: `$_hideLink = 0;`
- To overwrite parameter snippet call use
`$param = 'value';`
E.g: `$hideLink = 0;`

StripInput function

Pur: To define a custom stripInput function

```
if (!function_exists('myStripInput')) {  
    function myStripInput($searchString){  
        .... // change the searchString  
        return $searchString;  
    }  
}
```

Not: Use the functions stripslashes, stripTags and
stripHtml provided by AjaxSearch

StripOutput function

Pur: To define a custom stripInput function

```
if (!function_exists('myStripOutput')) {  
    function 'myStripOutput' ($text){  
        .... // change the output text  
        return $text;  
    }  
}
```

\$config['grpLabel']

Pur: Label for a group of results

Not: in the categConfig function a label could be
defined to be linked with the group of results.
This isn't a snippet parameter. Only a variable of
configuration file. This variable shouldn't contain
a comma (",")

categConfig function

Pur: To define the display of categories

```
if (!function_exists('categConfig')) {  
    function categConfig(  
        $site='defsite', $category){  
        $config = array();  
        // set up config depending $site & $category  
        ....  
        return $config;  
    }  
}
```

Modifiers

to include images in the templates, uses the
possible following phx modifiers:

imgwidth : image width

Pur: provide the image width

E.g: ``

imgheight : image height

Pur: provide the image height

E.g: ``

imgattr : image attributes

Pur: provide the image attributes as `height="xxx"`
`width="yyy"`

E.g: ``

imgmaxwidth : image max width

Pur: limit the width of the image to a maximum.

Under this limit, keep the true width
E.g: ``

imgmaxheight : image max height

Pur: limit the height of the image to a maximum.

Under this limit, keep the true height
E.g: ``

Not: These modifiers are particularly usefull with
the ajax mode to help html to determine the
height of the AjaxSearch pop-up window

AjaxSearch Log Manager Module

A module provided to display the search logs from
the MODx manager

Highlight plugins

Author:

Coroico <coroico@wangba.fr>
Kyle Jaebker <kjaebker@muddydoggpaws.com>
Susan Ottwell <sottwell@sottwell.com>

Pur: When a user clicks on the link from the
AjaxSearch results the target page will have the
terms highlighted.

searchHighlight plugin

Pur: highlight the terms containing between
`<body></body>`

advSearchHighlight plugin

Pur: highlight the terms containing between
`<!--start highlight-->` and `<!--end highlight-->`
Several distinct blocks are allowed

Not: To add a link to remove the highlighting and
to show the searchterms. Put the following on the
page where this needs to be appeared:
`<!--search_terms-->`

Set the following variables to change the text:

\$termText - the text before the search terms
\$removeText - the text for the remove link

AjaxSearch Glossary

AjaxSearch mode

- Search results displayed in current page
through AJAX request

Non ajaxSearch mode

- Search results displayed in a new page

Search term

- The entry term in the search form

Extract

- Part of a document extracted and added in
the results page

Search result

- Title (as a link to the document), description
and extract

Rank

- Value of ranking depending of number of
search results and where the results have
been found

Search results page

- All the search results with optionally a more
results link to a showMoreResult page.
- or all the search results paginated with the
grabMax parameter

Highlighted term

- In the search results page, the search terms
found could be (or not) highlighted.
- needs the plugin [searchHighlight](#)

Category

- a group of search results tagged with the
same TV.

AjaxSearch Resources Links

Demo site: <http://www.modx.wangba.fr>

Forum board:

[http://modxcms.com/forums/index.php/
board,320.0.html](http://modxcms.com/forums/index.php/board,320.0.html)

Download:

<http://modxcms.com/extras/package/?package=8>

Bugs and new feature requests:

<https://github.com/Coroico/AjaxSearch>

Wiki page:

<http://rtfm.modx.com/display/ADDON/AjaxSearch>